

# WA

Physical conditions signs indicate features or conditions of the road itself.

## PHYSICAL CONDITIONS

WA-1-L SINGLE TURN



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 600	0.36	Fixed

Message Colour:	Background Colour:
Black	Yellow

WA-1-R SINGLE TURN



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 600	0.36	Fixed

Message Colour:	Background Colour:
Black	Yellow

WA-2-L CURVE



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 600	0.36	Fixed

Message Colour:	Background Colour:
Black	Yellow

WA-2-R CURVE



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 600	0.36	Fixed

Message Colour:	Background Colour:
Black	Yellow

WA-3-L CURVE



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 600	0.36	Fixed
750 x 750	0.56	Fixed

Message Colour:	Background Colour:
Black	Yellow


WA-3-R CURVE



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 600	0.36	Fixed
750 x 750	0.56	Fixed

Message Colour:	Background Colour:
Black	Yellow


WA-4-L REVERSE TURN



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 600	0.36	Fixed

Message Colour:	Background Colour:
Black	Yellow

WA-4-R REVERSE TURN



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 600	0.36	Fixed

Message Colour:	Background Colour:
Black	Yellow

WA-5-L REVERSE CURVE



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 600	0.36	Fixed

Message Colour:	Background Colour:
Black	Yellow

WA-5-R REVERSE CURVE



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 600	0.36	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-6-L WINDING ROAD



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 600	0.36	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-6-R WINDING ROAD



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 600	0.36	Fixed

Message Colour:	Background Colour:
Black	Yellow


## WA-7 ADVISORY SPEED



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 600	0.36	Fixed
750 x 750	0.56	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-8 CHECKERBOARD - DEAD END



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
750 x 750	0.56	Fixed
900 x 900	0.81	Fixed
1200 x 1200	1.44	Fixed

Message Colour:	Background Colour:
Black	Yellow


## WA-8-L CHECKERBOARD - ABRUPT TURN



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
750 x 750	0.56	Fixed
900 x 900	0.81	Fixed
1200 x 1200	1.44	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-8-R CHECKERBOARD - ABRUPT TURN



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
750 x 750	0.56	Fixed
900 x 900	0.81	Fixed
1200 x 1200	1.44	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-8-A ABRUPT RIGHT OR LEFT TURN



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
750 x 750	0.56	Fixed
900 x 900	0.81	Fixed
1200 x 1200	1.44	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-8B NO EXIT (OR) DEAD END



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
450 x 450	0.20	Fixed

Message Colour:	Background Colour:
Black	Yellow


## WA-9 CHEVRON



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
450 x 600	0.27	Fixed
600 x 750	0.45	Fixed

Message Colour:	Background Colour:
Black	Yellow


## WA-11 CONCEALED ROAD



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 600	0.36	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-12-L CONCEALED ROAD



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 600	0.36	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-12-R CONCEALED ROAD



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 600	0.36	Fixed

Message Colour:	Background Colour:
Black	Yellow


## WA-13-L CONCEALED ROAD



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 600	0.36	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-13-R CONCEALED ROAD



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 600	0.36	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-14 "T" INTERSECTION



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 600	0.36	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-15 "Y" INTERSECTION



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 600	0.36	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-16-L MERGE FROM LEFT



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
900 x 900	0.81	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-16-R MERGE FROM RIGHT



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
900 x 900	0.81	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-16X MERGE



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
900 x 900	0.81	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-17 DOUBLE ARROW



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
900 x 900	0.81	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-21 HILL



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
750 x 750	0.56	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-21A-T USE LOWER GEAR (tab)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 300	0.18	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-21B-T PERCENTAGE GRADE AND DISTANCE km (tab - content variable)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 300	0.18	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-21C-T HILL (tab)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 300	0.18	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-22 BUMP



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
750 x 750	0.56	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-22A-T BUMP (tab)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
450 x 300	0.14	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-22B-T ROUGH ROAD (tab)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 300	0.18	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-23 ROAD NARROWS



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
750 x 750	0.56	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-23-L ROAD NARROWS



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
750 x 750	0.56	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-23-R ROAD NARROWS



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
750 x 750	0.56	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-23-T ROAD NARROWS (tab)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 300	0.18	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-24 ROAD NARROWS



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
750 x 750	0.56	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-24-A-T ONE LANE (tab)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 300	0.18	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-24-B-T ONE LANE BRIDGE (tab)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 300	0.18	Fixed

Message Colour:	Background Colour:
Black	Yellow


## WA-24-C-T NARROW BRIDGE (tab)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 300	0.18	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-25 PAVEMENT ENDS



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
750 x 750	0.56	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-25-T PAVEMENT ENDS (tab)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 300	0.18	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-26 LOW CLEARANCE (content variable)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
750 x 750	0.56	Fixed
900 x 900	0.81	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-26X LOW CLEARANCE (with striped border)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
900 x 900	0.81	Fixed

Message Colour:	Background Colour:
Orange, Black	White, Yellow

## WA-27 LOW CLEARANCE (content variable)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
900 x 600	0.54	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-28-T DISTANCE TO WARNING ITEM USE WITH WA SERIES SIGNS (tab - content variable)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 300	0.18	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-31 DIVIDED HIGHWAY BEGINS



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
900 x 900	0.81	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-31-T DIVIDED HIGHWAY BEGINS (tab)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 300	0.18	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-32 DIVIDED HIGHWAY ENDS



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
900 x 900	0.81	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-32-T DIVIDED HIGHWAY ENDS (tab)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 300	0.18	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-33-L ROAD NARROWS - LOSS OF LANE



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
750 x 750	0.56	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-33-R ROAD NARROWS - LOSS OF LANE



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
750 x 750	0.56	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-33A-TL LEFT LANE ENDS (tab)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 300	0.18	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-33A-TR RIGHT LANE ENDS (tab)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 300	0.18	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-33B-TL LEFT LANE ENDS (250 or 500)m (tab)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 300	0.18	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-33B-TR RIGHT LANE ENDS (250 or 500)m (tab)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 300	0.18	Fixed

Message Colour:	Background Colour:
Black	Yellow


## WA-33X-L ROAD NARROWS - LOSS OF LANE



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
900 x 900	0.81	Fixed

Message Colour:	Background Colour:
Black	Yellow


## WA-33X-R ROAD NARROWS - LOSS OF LANE



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
900 x 900	0.81	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-34 DIVIDED HIGHWAY AHEAD



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
750 x 750	0.56	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-34-T DIVIDED HIGHWAY (tab)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 300	0.18	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-36 HAZARD MARKER (centre)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
450 x 900	0.41	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-36-L HAZARD MARKER (object on left)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
300 x 900	0.27	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-36-R HAZARD MARKER (object on right)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
300 x 900	0.27	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-100 SHARP SHOULDERS



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
750 x 750	0.56	Fixed

Message Colour:	Background Colour:
Black	Yellow

## WA-106 RUMBLE STRIPS



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
750 x 750	0.56	Fixed

Message Colour:	Background Colour:
Black	Yellow

### WA-206A RUMBLE STRIPS 200m



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
900 x 900	0.81	Fixed
Message Colour:		Background Colour:
Black		Yellow

### WA-108 RAMP ADVISORY SPEED (content variable)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
900 x 1200	1.08	Fixed
1200 x 1500	1.80	Fixed
Message Colour:		Background Colour:
Orange, Black		White, Yellow

### WA-107 RAMP AHEAD ADVISORY SPEED (content variable)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
900 x 1200	1.08	Fixed
1200 x 1500	1.80	Fixed
Message Colour:		Background Colour:
Black		Yellow

### WA-109 DIVIDED HIGHWAY ENDS 2km (2 lights not included)




Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
2400 x 1200	2.88	Fixed
Message Colour:		Background Colour:
Black		Yellow

### WA-110 DIVIDED HIGHWAY BEGINS 2km



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
2400 x 1200	2.88	Fixed
Message Colour:		Background Colour:
Black		Yellow

### WA-112-L ADDED LANE (left)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
900 x 900	0.81	Fixed
Message Colour:		Background Colour:
Black		Yellow

### WA-112-R ADDED LANE (right)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
900 x 900	0.81	Fixed
Message Colour:		Background Colour:
Black		Yellow

### WA-113 LOAD TOO HIGH EXIT (2 lights not included)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
2700 x 1500	4.05	Fixed
Message Colour:		Background Colour:
Black		Yellow

### WA-114 IMPORTANT INTERSECTION AHEAD



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
1200 x 1200	1.44	Fixed
Message Colour:		Background Colour:
Black		Yellow

### WA-115 TEXAS GATE



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
750 x 750	0.56	Fixed
Message Colour:		Background Colour:
Black		Yellow

### WA-116 CENTRELINE RUMBLE STRIPS



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
900 x 900	0.81	Fixed
Message Colour:		Background Colour:
Black		Yellow

### WA-116A-T BEGIN (tab)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 300	0.18	Fixed
Message Colour:		Background Colour:
Black		Yellow

# WA-116B-T END (tab)



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 300	0.18	Fixed
Message Colour:		Background Colour:
Black		Yellow

# WA-510-T m (OR) km DISTANCE TO WARNING ITEM (tab)



-OR-



Dimensions (mm):	Area (m <sup>2</sup> ):	Type:
600 x 300	0.18	Fixed
Message Colour:		Background Colour:
Black		Yellow